



WINNERS OF 100 FREE REGISTRATIONS FOR BEST ABSTRACTS

SURNAME	NAME	COUNTRY	ABSTRACT TITLE
Abyad	Abdulrazak	Lebanon	Challenges of Elderly Services and Education Programs in Geriatrics and Gerontology in the Eastern Mediterranean Region: Reflection on current initiative in Lebanon and the Region
Aasbrenn	Martin	Denmark	Can a hip call lead to rapid surgical treatment of hip fractures?
Adebayo	Adewale	UK	Urinary microbes in older women are influenced by host (human) genetics
Alamo Ascencio	Shirley	Spain	ASSOCIATION BETWEEN FRAILTY SCALES AND INCIDENT DISABILITY IN DIFFERENT GERIATRIC SETTINGS: PRELIMINARY RESULTS FROM THE FRAILTOOLS PROJECT
Andin	Ulla	Sweden	Organizational intervention and IT-guided exercise programs in mild cognitive impairment; the Digital Environment for Cognitive Inclusion (DECI) study
Apostoli	Pranvera	Albania	What are the Prescription Limits of Potentially Inappropriate Medications (PIMs) stated on EU-7 PIM list in Central and Eastern European countries?
Ayers	Rachael	UK	The "Comprehensive Geriatric Admission" - Improving Community Hospital Clerking Documentation
Bahşi	Remzi	Turkey	Screening of Sarcopenia in Elderly with Dysphagia: EAT-10 or Grip Strength?
Bartoli	Giulio	Italy	Aspirin and hemorrhagic events among patients suffering from severe cognitive impairment: a retrospective cohort study

Brailova	Natalia	Russia	Telomerase activity, carbohydrate metabolism and vascular aging in patients with type 2 diabetes mellitus
Brook	Matthew	UK	A 20g collagen protein hydrolysate and milk protein blend, stimulates muscle anabolism equivalently to a milk protein blend containing higher quantities of essential amino acids
Calle	Alicia	Spain	Predictors of Functional Recovery Over Time in Older Patients Admitted to Geriatric Rehabilitation Units: The SAFARI Multi-Centre Study
Cavanagh	Andrew	UK	Frailty Predicts Futility Of Cardiopulmonary Resuscitation
Cherniaeva	Marina	Russia	Frailty and orthostatic hypotension in geriatric practice
Cheung	Ching-Lung	Hong Kong, China	Development and Validation of a Risk Score to Predict the First Hip Fracture in the Oldest Old: A Retrospective Cohort Study
CHRZASTEK	ZUZANNA	POLAND	ASSOCIATION BETWEEN SUCROSE AND FIBRE INTAKE AND DEPRESSION RISK IN OLDER PEOPLE
Coin	Alessandra	Italy	The association between cognitive reserve and acetylcholinesterase inhibitors' response in elderly outpatients with dementia
Contreras	María Fernanda	Mexico	Osteosarcopenia prevalence and its association with comorbidity, frailty and grip strenght in patients with hip fracture.
Cosardereiloglu	Caglar	Turkey	Asymptomatic Vertebral Fracture Risk Assessment with FRAX plus Handgrip Strength (FRAX-HS)
Cruz-Flores	Rodrigo	Mexico	Expanding the scope of multimorbidity in low- and middle-income countries: prevalence of chronic health conditions in community-dwelling older adults in Mexico

De	Valeria	Russia	Prevalence of potentially inappropriate medication prescribing in very old patients with type 2 diabetes mellitus
Deepak Kumar	Bandari	India	Geriatric Care Knowledge Assessment among Bachelor of Pharmacy and Doctor of Pharmacy Students from various Universities in India: A Comparative Analysis
Dubov	Aleksandr	Russia	Impact of diabetes mellitus and pre-diabetes on survival in long-lived people.
Dupont	Lenore	Belgium	(Pre)Sarcopenic Older People Have An Inadequate And Uneven Protein Intake And Adequate Energy intake.
Ecarnot	Fiona	France	Evaluation of the decision-making process that leads to a decision not to re-admit a patient to intensive care
Eguzkiza	Leire	Spain	The impact of frailty in outcomes after transcatheter aortic implantation
Ergin	Emine	Turkey	The Effect of Home Visits by Nurses on the Physical and Psychosocial Health of The Elderly: A Systematic Review and Meta-Analysis
Fleming	Tara	UK	Identification of prognostication factors in patient with hip fractures.
García Cárdenas	Verónica Li	Spain	Antiplatelet and Anticoagulant therapy in hip fracture patients ; prevalence and its outcomes
Gareri	Pietro	Italy	The risks of polypharmacy in people affected with dementia: the PharE (Pharmacovigilance in the Elderly) Study
GASPERINI	BEATRICE	ITALY	Predictors of early and late in-hospital mortality in older subjects victims of major trauma
Gołąb	Agnieszka	Poland	Effectiveness of foot and ankle exercises on balance and podometric parameters in older women - a preliminary report

Graversen	Susanne Boel	Denmark	Factors of Importance for Re-hospitalization and Mortality in the Elderly after an Admission for Pneumonia: a Population-based Cohort Study
Gupta	Abhishek	UK	Falls prevention through safety huddles in a community hospital
Hamina	Aleksi	Finland	Opioid use after hospital care due to a hip fracture among community-dwelling persons with and without Alzheimer's disease
Hauger	Annette V.	Norway	Midlife Bone Mineral Density Change in the Distal Forearm and Subsequent Mortality: Findings from the Population Based Tromsø Study
Heeren	Pieter	Belgium	Prediction Of Hospitalization And Unplanned Readmission Among Older Adults In The Emergency Department: Accuracy of Three Screening Tools
Hernández Ruiz	Virgilio	Mexico	Risk of Depression, Cognitive Decline And Dementia in Lyme Disease
Hrnciarikova	Dana	Czech Republic	Neopterin and lymphocytes as new biomarkers of prediction the mortality in the elderly?
Hsieh	Pei-Chi	Taiwan	Uncomfortable signs and symptoms of the last 6-month life of institutional residents with advanced dementia
İLÇİN	Nursen	Turkey	Gait parameters and pain severity in elderly with non-specific low back pain
Jasper	Emily	UK	Developing a transdisciplinary education programme in a Perioperative medicine for Older People undergoing Surgery (POPS) service (Category Geriatric Education)
Jiménez-Mola	Sonia	Spain	In-hospital mortality following hip fracture in the elderly
Jyväkorpí	Satu	Finland	Appendicular lean mass is associated with nutrition in the oldest old men of the Helsinki Businessmen Study (HBS) cohort

Kabell Nissen	Søren	Denmark	Trends of opioid utilization in Denmark: a nationwide study
Kaluźniak-Szymanowska	Aleksandra	Poland	IMPLEMENTATION OF THE MIND DIET AMONG OLDER INDIVIDUALS IN POLAND
Kantoch	Anna	Poland	Factors related to survival among nursing home residents with severe disability
Kaza	Nandita	UK	Anaemia in older adults admitted through the Acute Medical Unit
Kerminen	Hanna	Finland	Frailty and functional level at admission predict hospital outcomes: a cohort study of older patients in post-acute care hospital
Kim	Do Hoon	Republic of Korea	Relationship between blood pressure levels and ischemic stroke, myocardial infarction, and mortality in very elderly Koreans taking antihypertensives: a nationwide population-based cohort study
Kjærskov Hansen	Troels	Denmark	Reproducibility and diagnostic accuracy of a record-based Multidimensional Prognostic Index frailty assessment
Klinge	Mads	Denmark	Readmission of elderly medical patients after short term admission in emergency departments: a nationwide observational study
Kłosińska	Urszula	Poland	Look around - architectural interventions in LTC home and professional stress of formal caregivers
Koca	Meltem	Turkey	A quality improvement study on delirium awareness day: In pursuit of missed delirium diagnoses
Kolk	Daisy	Netherlands	Predicting the course of physical activity after hospital discharge in older adults
Korshun	Elena	Belarus	Metabiotics in geriatric practice
Kremer	Kaj-Marko	Germany	Systolic Blood Pressure and 8-year mortality in community-dwelling older adults. Does frailty modify this effect?

Krzywińska-Siemaszko	Roma	Poland	THE COMPARISON OF HABITUAL DIETARY INTAKE IN OLDER INDIVIDUALS WITH PRESARCOPENIA AND WITH NORMAL MUSCLE MASS – PRELIMINARY RESULTS Health status and its socio-economic covariates of the older population in Poland- assumptions and methods of the nationwide, cross-sectional PolSenior2 survey.
Kujawska-Danecka	Hanna	Poland	Effects of long-term home-based physical exercise on functioning in persons with signs of frailty – RCT (NCT02305433)
Kukkonen-Harjula	Katriina	Finland	Maintaining a Physically Active Lifestyle is Associated with a Better Physical Performance in Older Adults Over 65 Years
Leal Martín	Javier	Spain	Association between nutritional status and outcomes in older adults affected by heart failure
Lelli	Diana	Italy	Is the fall risk systematically evaluated in memory clinics? a national survey of practice
LEROY	Victoire	FRANCE	Frailty and sarcopenia
Lewandowicz-Umyszkiewicz	Marta	Poland	The Relationship between Muscle Attenuation and Orthostatic Blood Pressure Variations in Elderly Population
Li	Qiaowei	China	The application of Sunfrail Checklist for the identification of frail older community-dwellers: results of a criterion validity study
Longobucco	Yari	Italy	A MOOC for improving communication, intercultural and social skills for caregivers of elderly people in Europe
Lopez-Villegas	Antonio	Spain	Why is there a decline in the incidence of sporadic Creutzfeldt Jakob Disease in the older adult population?
Lumsden	Jane	UK	The Effect of the Establishment of an Acute Frailty Unit
Mc Call	Belinda	UK	

Mitchell	Anneka	UK	Incidence of oral anticoagulant prescribing in people aged 75 years and over with atrial fibrillation in UK general practice
MROUKI	Maroua	TUNISIA	Particularities of diffuse interstitial lung disease in Tunisian elderly patients
Neumann-Podczaska	Agnieszka	Poland	Pain in advanced stages of dementia: the perspective of medical students
Ofili	Samantha	UK	Descriptive analysis of variations in assessments by cause of admission in patients with dementia
Ørum	Marianne	Denmark	Impact of a tailored follow-up on Comprehensive Geriatric Assessment offered to older patients with cancer - a randomized controlled study
Oztop	Mücahit	Turkey	Investigation of the Effect of Thermal Tourism on Spine Pain and Quality of Life in the Elderly: Preliminary Report
Pietko da Cunha	Daniel	Brasil	RELATIONSHIPS BETWEEN FUNCTIONAL PHYSICAL FITNESS, VARIABLES CARDIOVASCULAR AND QUALITY OF LIFE IN ELDERLY.
Puthenparampil	Rani	Germany	How many clinical trials on dementia exclude multimorbid geriatric patients?
Rajamaki	Blair	Finland	Length of hospital stay after hip fracture and readmission rates of persons with and without Alzheimer's disease
Rempe	Hanna Maria	Germany	Health behaviours, self-rated health and objectively measured cardiovascular health and physical performance among community-living persons aged 65+
Revníc	Cristian Romeo	Romania	Particularities of syncope in a 72 years old woman patient. Case report.
Roqueta	Cristina	Spain	Predictors of early and late mortality after transcatheter aortic valve implantation in patients with severe symptomatic aortic stenosis

Ryg	Jesper	Denmark	Body Mass Index At Hospital Admission Is Associated With Mortality In Geriatric Patients: A Danish Nationwide Population-based Cohort Study
Saraieva	Ilona	France	Telomere Length and Aortic Valve Calcification
Seiffert	Piotr	Poland	Mobile Test of Manual Dexterity in the diagnostics of frailty in older patients with mild parkinsonian signs
SELVİ ÖZTORUN	Hande	Turkey	Depression And Sleep Quality In Older Diabetic Patients
Sharashkina	Natalia	Russia	Urinary incontinence and geriatric syndromes in older adults with comorbidity: a cross-sectional study in Moscow population.
Soysal	Pinar	Turkey	Survival time and differences between dementia with Lewy bodies and Alzheimer's disease following diagnosis: a meta-analysis of longitudinal studies
Subramanian	Manicka Saravanan	India	Frailty In Health-Seeking Older Population: Findings From An Indian Registry
Tap	Lisanne	the Netherlands	Orthostatic hypotension and physical performance in older fallers
Ticinesi	Andrea	Italy	Application of the Sepsis-3 Consensus Criteria in a Geriatric Acute Care Unit: A Prospective Study
Tobis	Slawomir	Poland	Opinions of older adults on the use of robots in care: the influence of needs and functional capacity
Urtamo	Annele	Finland	Association of self-rated health in midlife with a prevalence of pain in old age
Virecoulon Giudici	Kelly	France	Associations of C-reactive protein and homocysteine concentrations with the impairment of intrinsic capacity domains over a 5-year follow-up among community-dwelling older adults (MAPT Study)
Vlaeyen	Ellen	Belgium	Predicting falls in nursing homes: accuracy of screening methods in a prospective multicenter cohort study with six months follow-up

Vorobyeva	Natalya	Russia	Low pulse blood pressure as a predictor of 5-year mortality in very old patients: results of the Moscow 90+ observational study
Vu	Mai	Finland	Temporal changes in the prevalence of cardiovascular drugs use in persons with and without Alzheimer's disease, a retrospective cohort study
Wilczyński	Krzysztof	POLAND	BEHAVIORAL AND PSYCHOLOGICAL SYMPTOMS OF PATIENTS
Woodward	Katherine	UK	Capacity assessment in older patients -does education for doctors in training make a difference?
Yağcı	Nesrin	Turkey	Determination of Functional Performance Levels of the Elderly Living at Home
Ying	Kate	Singapore	Intervention Elements to Reduce Inappropriate Prescribing for Older Adults with Multimorbidity Receiving Outpatient Care: A Scoping Review